

Utah Department of Environmental Quality

Division of Drinking Water

Monitoring Schedule

Run Date:
08/04/2011 12:23 pm

PWS ID: UTAH18131 **Name:** HI-COUNTRY NUMBER 2

Legal Contact: HI-COUNTRY #2 **Rating:** Approved
TOM WILLIAMS **Rating Date:** 12/30/1899

Address: 14875 S. 7560 W. **Activity Status:** Active
RIVERTON, UT 84065

Phone Number: 801-253-1024

City Served (Area):

County: SALT LAKE COUNTY

System Type: Community **Last Inv Update:** 01/11/2011 **Avg Daily Prod:**

Activity Status Cd: Active **Last Snty Srv Dt:** 06/08/2010 **Total Dsgn Cap:**

Population: 329 **Surveyor:** RANDY S WILLIAMS **Total Emerg Cap:**

Oper Period: 1/1 to 12/31

Gal/Day Gal/Min

Total Coliform Rule Monitoring

Sample Count	Sample Type	Sample Frequency	Effective Begin Date	Effective End Date	Seasonal Start	Seasonal End	Analyte Name
1	Routine	Monthly	01/01/1991		1/1	12/31	COLIFORM (TCR)

Additional Monitoring Requirements

(The Sample Label is not correct for Disinfection Byproducts, TOC, TOC Alkalinity, and any triggered groundwater samples)

Facility ☐ ID Facility Name

	Analyte Name	Sample Count	Sample Type	Sample Frequency	Last Sample	Next Sample Between
DS001	UTAH18131 DISTRIBUTION SYSTEM			Activity Status: A	Sample Label: UTAH18131	DS001
	Lead & Copper	5	Routine	3 Years	2009	06/01-09/30 2012
WS003	UPPER WELL			Activity Status: A	Sample Label: UTAH18131	WS003 WS003
	NITRATE	1	Routine	Year	04/13/2011	01/01/2012-12/31/2012
	Radionuclides	1	Routine	6 Years	05/11/2011	01/01/2014-12/31/2019
	Volatile Organics	1	Routine	6 Years	05/27/2008	01/01/2014-12/31/2019
	Inorg & Metals	1	Routine	3 Years	05/27/2008	01/01/2011-12/31/2013
	Sodium,Sulfate,TDS	1	Routine	3 Years	05/27/2008	01/01/2011-12/31/2013